

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 1




FIG. 2





FIG. 3A



09368469 080499

5/16

FIG. 4A





FIG. 4B



664080-080499

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/16

CAMERA CONTROL SERVER

IMAGE SERVER

QUALITY OF MOVING IMAGE

LIMITATIONS IN CONNECTION

TCP PORT

COM PORT

WAITING PERIOD FOR RECONNECTION

120 MINUTES

POLICY FOR RECONNECTION

☒ POLICY 1
☐ POLICY 2
☐ POLICY 3

ADMITTED CLIENTS

170.120. 23.101
170.115. 43.12
Tokkyo Taro
Kyoka Hanako

OK


CANCEL

FIG. 5

654030" 69489560

7/16

FIG. 6



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/16

FIG. 7

FIG. 7 is a graphical user interface (GUI) window titled "SET UP". The window contains the following elements:

- SERVER NAME:** A text input field with a reference number 701 pointing to its right side.
- USER NAME:** A text input field with a reference number 702 pointing to its right side.
- PORT NUMBER:** A label with a reference number 703 pointing to the "65310" value.
- VIDEO (V):** A label with a reference number 704 pointing to the "65311" value.
- CAMERA CONTROL (C):** A label.
- Buttons:** "OK" and "CANCEL" buttons at the bottom right.


SET UP	
SERVER NAME	<input type="text"/>
USER NAME	<input type="text"/>
PORT NUMBER	65310
VIDEO (V)	65311
CAMERA CONTROL (C)	
OK CANCEL	

0336546-0849


9/16

Sheet 9 of 10

FIG. 8




10/16
FIG. 9



0036459-00049
004030-0948960

11/16

FIG. 10




657080" 69489E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

12/16


FIG. 11



66h080" 69489E60


13/16

FIG. 12A



0036450-000490


FIG. 12B




0935459-000499

15/16

FIG. 13A



09368459.00499

FIG. 13B03645-00049
"00000" 0948960